

Table of Contents

Example of UDF column added to an item:	3
Detail UDF's set up:	3
eBM Template Maintenance:.....	3
Templates Modified to include UDF's:	4
Initial display of the products and service page before the items has been added to the shopping cart:..	4
HTML Markup added to the products and service page to add the Item Selected UDF:.....	5
Initial display of the item drill down page before the item has been added to the shopping cart:.....	6
HTML Markup added to the products and service page to add the Item Selected UDF:.....	7
Display of the products and services page after adding the items to the shopping cart from the item drill down page, including submitting a new value in the UDF column input fields:.....	8
Display of the products and services page after adding all the items displayed on this page to the shopping cart, including submitting a new value in the UDF column input fields:	9
Initial display of the .order shopping cart submission page to include the Item Selected UDF:.....	10
HTML Markup added to the .order shopping cart submission page to add the Item Selected UDF:.....	11
Display of the .order shopping cart submission page after submitting a new value in the UDF column input fields:	12
Display of the products and services pages after submitting new values in the UDF column input fields on the shopping cart submission page (but not confirmed):	13
Display of the .order shopping cart confirmation page:	14
HTML Markup added to the .order shopping cart confirmation page to add the Item Selected UDF: ...	15
Display of the sales order generated after update of the shopping cart submission:	16
After adding this to the shopping cart from the sales order inquiry page:.....	17
Unique .store pages with the detail UDF's:	18
Initial display of the .store shopping cart submission page 1:	18
HTML Markup added to the .store shopping cart step 1 submission page to add the Item Selected UDF:	19
Display of the .store shopping cart confirmation page:	20
HTML Markup added to the .store shopping cart step 1 confirmation page to add the Item Selected UDF:	21
Example of adding a UDF to the customer table, flowing through to the header:	22
Customer and Header UDF's setup:	22
eBM Template Maintenance:.....	23
Templates Modified to include the Customer / Header UDF's:	24
.store Profile page before submission of a change to the customer / UID customer change UDF:.....	24
HTML Markup added to the .store profile change submission page to add the customer / UID customer change UDF:	25
Customer Maintenance screen for .store customer with the UID customer change UDF updated:	26
.store shopping cart step 2 submission page with customer UDF mapped to the shopping cart header table, before submitting a change:	27
HTML Markup added to the .store shopping cart step 2 submission page to add the shopping cart header UDF:.....	27
.store shopping cart confirmation page with change submitted to the shopping cart header UDF default value:.....	28
HTML Markup added to the .store shopping cart step 3 confirmation page to add the shopping cart header UDF:.....	28
Sales Order entry dialog with the header UDF updated from the .store shopping cart submission:	29
Customer dialog with the header UDF updated from the .store shopping cart submission:	30
.order Customer Inquiry page with customer / UID customer change UDF column added:.....	31

HTML Markup added to the customer inquiry page to add the customer UDF:.....	32
.order Customer Maintenance page before submission of a change.....	33
HTML Markup added to the customer maintenance page to add the customer UDF:	34
Customer Maintenance screen for .order customer with the submitted change updated:	34
.order shopping cart submission page with customer UDF mapped to the shopping cart header table, before submitting a change:	35
HTML Markup added to the .order shopping cart submission page to add the header UDF:.....	36
.order shopping cart confirmation page with submitted change to the shopping cart header UDF default value:.....	37
HTML Markup added to the .order shopping cart confirmation page to add the shopping cart header UDF:	38
Sales Order entry dialog with the header UDF updated from the .order shopping cart submission:	38

Example of UDF column added to an item:

Detail UDF's set up:

UDF Maintenance Listing

ABC Distribution and Service Corp. (ABC)

Table	ODBC Field Name
AR_InvoiceHistoryDetail	UDF_AR_INV_HIST_DETAIL
CI_Item	UDF_ITEM
IT_ShoppingCartDetail	UDF_IT_CART_DETAIL
IT_ShoppingCartItemsSelected	UDF_IT_SELECTED
SO_InvoiceDetail	UDF_SO_INV_DETAIL
SO_SalesOrderDetail	UDF_SO_DETAIL
SO_SalesOrderHistoryDetail	UDF_SO_DETAIL

eBM Template Maintenance:


Hint: In order to avoid inadvertent changes to your modified templates, make a copy of the standard template to make your changes in. Then in template maintenance, assign your modified template to replace the standard template.

	Template Code	Sequence No.	Description	Template Name	Include Customizations	Include Table Customizations
35	IW_MESSAGE.M4P	000040	Shopping Cart Message	sc_msg.htm	☐	☐
36	IW_PRODUCTS.M4P	000000	Products & Services Inquiry	Products_nt2_multi_custom.htm	☐	☐
37	IW_PRODUCTS.M4P	000010	Products & Services Header	header.htm	☐	☐
38	IW_PRODUCTS.M4P	000020	Products & Services Categories	categories.htm	☐	☐
39	IW_PRODUCTS.M4P	000030	Products & Services Main	Products_nt2_multi_custom.htm	☐	☐
40	IW_PRODUCTS.M4P	000040	Products & Services Footer	footer.htm	☐	☐
41	IW_PRODUCTS.M4P	000050	Products & Services Search	search.htm	☐	☐
42	IW_PRODUCTS.M4P	000060	.store (b2c) Products Search	search_store.htm	☐	☐
43	IW_PRODUCTS.M4P	000070	Item Detail	Item_custom.htm	☐	☐
44	IW_PRODUCTS.M4P	000071	Item Detail (framed)	item_frame.htm	☐	☐
45	IW_SALESTAX.M4P	000000	Sales Tax Detail	sales_tax_dtl.htm	☐	☐
46	IW_SHOPPINGCARTORDER.M4	000000	View .order Shopping Cart	Submit_SO_Custom.htm	☐	☐
47	IW_SHOPPINGCARTORDER.M4	000010	Confirm .order Shopping Cart	Confirm_SO_Custom.htm	☐	☐
48	IW_SHOPPINGCARTSTORE.M4f	000000	.store Shopping Cart Step 1	SC_Step1_custom.HTM	☐	☐
49	IW_SHOPPINGCARTSTORE.M4f	000010	.store SC Step 2,W/Ship Addr	sc_step2.htm	☐	☐
50	IW_SHOPPINGCARTSTORE.M4f	000020	.store SC Step 2,No Ship Addr	sc_step2_no_ship.htm	☐	☐
51	IW_SHOPPINGCARTSTORE.M4f	000030	.store Shopping Cart Step 3	SC_Step3_custom.HTM	☐	☐
52	IW_USER.M4P	000000	User ID Maintenance	uid.htm	☐	☐
53	IW_USER.M4P	000010	User ID Browse	uid_browse.htm	☐	☐
54	IW_USER.M4P	000020	.store User Profile	profile.htm	☐	☐
55					☐	☐

Accept Cancel

Templates Modified to include UDF's:

Initial display of the products and service page before the items has been added to the shopping cart:



The UDF column values displayed are the values set up in Inventory Maintenance for the UDF column.

HTML Markup added to the products and service page to add the Item Selected UDF:

| ~~IW Products.m4p;PRODUCTS DTL TABLE?T~~ |

This is the HTML Markup that dynamically fills the items to be displayed on the page. All tokens in the table must be encapsulated in the next set of table row tags (<tr> ... </tr>)

	<tr><td rowspan="5" class="IntRow" valign="top"><nobr> href="javascript:selectItem('~FN%RFC1738Encode\$(IT_Item.ItemCode)?x~','~FN%RFC1738Encode\$(scKey\$)?x~')">~~TBL(NUL(I imageFile\$),"",IT_Item.ItemCode\$)?x?a~~</nobr></td> <td colspan="4" class="PSName" valign="top">~~ItemDescription\$~~&nbsp;</td>~~%TemplateSvc'RowBreak\$a~~ <td class="PSTitle" valign="bottom" width="25%"><nobr>~~BasePriceTitle\$a~~&nbsp;</nobr></td> <td class="PSTitle" valign="bottom" width="25%"><nobr>~~QuantityAvailableTitle\$a~~&nbsp;</nobr></td> <td class="PSTitle" valign="top" width="1%">&nbsp;</td> <td class="PSTitle" valign="bottom" align="left" width="49%">~~ShoppingCartTitle\$a~~&nbsp;
~~%TemplateSvc'RowBreak\$a~~ <td class="PSData" valign="top">~~STP(BasePrice\$,2)?x~~&nbsp;</td> <td class="PSData" valign="top"><nobr>~~STP(QtyAvailable\$,2)?x?a~~</nobr>&nbsp;</td> <input type="hidden" name="row~~row~~.ItemCode" value="~~FN%ESCDoubleQuote\$(IT_Item.ItemCode\$)?x~"> <td class="PSTitle" valign="top" align="right">~~ErrorFlag\$a~~</td> <td class="PSData" valign="top" align="left"><nobr><input type="~scQtyType~" name="row~~row~~.Quantity" class="FormEntry" style="text-align:right" size="~~STR(LEN(%TemplateSvc'eBMQuantityMask\$))?x~" maxlength="~~STR(LEN(%TemplateSvc'eBMQuantityMask\$))?x~" value="~~STP(STR(IT_ShoppingCartItemsSelected.Quantity:%TemplateSvc'eBMQuantityMask\$,2)?x~" onBlur="FmtQty(this,~~%TemplateSvc'eBMQuantityPrecision~~,~~%TemplateSvc'MaximumQuantity\$~~)"> &nbsp;</td>~~%TemplateSvc'RowBreak\$a~~
--	---

~~%TemplateSvcRowBreak\$a~~ is a special token to insert a <tr></tr> tag within the resolved HTML markup. It is used to circumvent the dynamically table filled rule that all of the tokens in a dynamically filled table must be encapsulated within the next set of <tr> ... </tr> row tags, noted above.

[illegible]

Above is the HTML markup to added to the default template to include the `CI_Item` or `IT_ShoppingCartItemsSelected` UDF column values. The expression is required to display the UDF value assigned to the item in item maintenance when the item has not been added to the shopping cart or the value assigned to the items selected table when the item has been added to the shopping cart. The `row~~row~~` token is needed to uniquely identify each item included on the page.

```
<td colspan="4" class="PSDesc" valign="top" width="100%">~~sub(IT_Item.ItemLongDesc$,chr(10),"<br />")?x?a~~&nbsp;sp;</td>~~%TemplateSvc.RowBreak$a~~
<td colspan="5" width="100%">&nbsp;sp;</td>
</tr></table></td></tr>
```

Initial display of the item drill down page before the item has been added to the shopping cart:

Item Detail - Microsoft Internet Explorer

FileEditViewFavoritesToolsHelp

Back

Search

Favorites

Addresshttp://localhost/IW_Products.m4p.pvx?;MULTI_ITEM_SUBMITGo

ABC Distribution and Service Corporation

[Home](#) | [Profile](#) | [Products](#) | [Check Out](#) |



Item: 4886-18-14-3

Description: PAPER CADDY

My Item or Items Selected

My Paper Caddy Item UDF Value

Column:

Unit of Measure: EACH

Quantity Available: 63

Order Quantity:

1

Add to Shopping Cart

Item Pricing:

From Quantity	To Quantity	Unit Price
1	5	45.00
6	10	42.75
11	Or Greater	40.50

[Home](#) [Profile](#) [Products](#) [Check Out](#) [Help](#)

 Please send questions or comments to the [Webmaster](#).

Done

Local intranet

The UDF column values displayed are the values set up in Inventory Maintenance for the UDF column.

HTML Markup added to the products and service page to add the Item Selected UDF:

```
<td class="DataRow" colspan="2" valign="top">~~ItemDescription$a~~<br /> ~~IT_Item.ItemLongDesc$a~~</td></tr>
```

```
<tr><th class="IntRow" align="right" valign="top" width="30%">My Item or Items Selected Column:</th>
```

This is the markup that adds the row title.

```
<td class="DataRow" colspan="2" valign="top" width="70%"><input type="text" name="row1.UDF_IT_Selected"
value="~~TBL(NOT(NUL(IT_ShoppingCartItemsSelected.UDF_IT_Selected$)),CI_Item.UDF_Item$,IT_ShoppingCartItemsSelected.UDF_IT_Sel
ected$)?x~~" size="31" maxlength="30"></td></tr>
```

Above is the HTML markup to added to the default template to include the CI_Item or IT_ShoppingCartItemsSelected UDF column values. The expression is required to display the UDF value assigned to the item in item maintenance when the item has not been added to the shopping cart or the value assigned to the items selected table when the item has been added to the shopping cart.

Note: The name argument is hard wired with a row1 prefix. This is needec because the code used to submit this form is common to the products and services pagewhere multiple rows may be submitted.

```
<tr><th class="IntRow" align="right" valign="top">~~AliasTitle$~~</th>
```

Display of the products and services page after adding the items to the shopping cart from the item drill down page, including submitting a new value in the UDF column input fields:

Products and Services - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Reload Home Search Favorites Print Mail News RSS Feeds

Address http://localhost/IW_Products.m4p.pvx?;PRODUCTS_DTL_NEXT_PAGE Go

ABC Distribution and Service Corporation

[Home](#) | [Profile](#) | [Products](#) | [Check Out](#)

Equipment | Furniture | Printers | Specials

Search

for

in all categories

[advanced](#)

Shopping Cart

items 1
amount 45.00

Specials
3 items

Specials

Specials: page 1 of 1

	PAPER CADDY Base Price 45.00	Quantity Available 63	Shopping Cart 1
My Item or Items Selected Column: My Paper Caddy Selected Value			
	SPECIALTY GINGER JAR LAMP Base Price 94.95	Quantity Available 156	Shopping Cart 0
My Item or Items Selected Column: My Ginger Jar Item UDF Value			
	AM/FM STEREO CD/CASSETTE PLAYER Base Price 2,800.00	Quantity Available 0	Shopping Cart 0
My Item or Items Selected Column: My Stereo Item UDF Value			

Change quantity to zero to remove an item or charge. Change quantity to one to add a charge.

[Home](#) [Profile](#) [Products](#) [Check Out](#) [Help](#)

Please send questions or comments to the [Webmaster](#).

Display of the products and services page after adding all the items displayed on this page to the shopping cart, including submitting a new value in the UDF column input fields:

Products and Services - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Reload Print Mail News RSS Feeds

Address http://localhost/IW_Products.m4p.pvx?;MULTI_ITEM_SUBMIT Go

ABC Distribution and Service Corporation

[Home](#) | [User](#) | [Customer](#) | [Invoices](#) | [Open Orders](#) |
[Order History](#) | [RMA](#) | [Credit Info](#) | [Ship-to Info](#) |
[Shopping](#) | [View Cart](#) | [Help](#)

[Equipment](#) | [Furniture](#) | [Printers](#) | [Specials](#)

Search

for

in **Go**

[advanced](#)

Shopping Cart

items 3
amount 8,634.90

Specials
3 items

Specials

Shopping Cart updated
Items: 3 added, 0 removed and 0 updated.

Specials: page 1 of 1 **Buy**

 	PAPER CADDY Base Price 45.00 Quantity Available 65	Shopping Cart 1 My Item or Items Selected Column: My Paper Caddy Item Sel Value
	SPECIALTY GINGER JAR LAMP Base Price 94.95 Quantity Available 160	Shopping Cart 2 My Item or Items Selected Column: My Ginger Jar Item Sel Value
	AM/FM STEREO CD/CASSETTE PLAYER Base Price 2,800.00 Quantity Available 0	Shopping Cart 3 My Item or Items Selected Column: My Stereo Item Sel Value

Buy
 Change quantity to zero to remove an item or charge. Change quantity to one to add a charge.

Shopping Cart updated
Items: 3 added, 0 removed and 0 updated.

[Home](#) [User](#) [Customer](#) [Invoices](#) [Open Orders](#) [Shopping](#) [View Cart](#)

Please send questions or comments to the [Webmaster](#).

Local intranet

Initial display of the .order shopping cart submission page to include the Item Selected UDF:

View Shopping Cart - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Mail Print W Yellow Plus Printers People

Address http://localhost/IW_ShoppingCartOrder.m4p.pvx?;SUBMIT_50 Go

ABC Distribution and Service Corporation

[Home](#) | [User](#) | [Customer](#) | [Invoices](#) |
[Open Orders](#) | [Order History](#) | [RMA](#) | [Credit Info](#) |
[Ship-to Info](#) | [Shopping](#) | [View Cart](#) | [Help](#) |

View Shopping Cart

Item Number	Item Description	My IT Shopping Cart Detail Column	Quantity	Unit Price	Extension
4886-18-14-3	PAPER CADDY	My Paper Caddy Item Sel Value	1	45.00	45.00
ARS-9201	SPECIALTY GINGER JAR LAMP	My Ginger Jar Item Sel Value	2	94.95	189.90
STEREO/CD_PCKGE	AM/FM STEREO CD/CASSETTE PLAYER	My Stereo Item Sel Value	3	2,800.00	8,400.00
				Taxable:	0.00
				Non Taxable:	8,634.90
				Freight:	0.00
				Sales Tax:	0.00
				Order Total:	8,634.90

Click Next to save your changes.
Change quantity to zero to delete an item.

Enter item number and quantity to add an item.

Bill To:
American Business Futures
2131 N. 14th Street
Suite 100
Accounting Department
Milwaukee, WI 53205-1204
United States of America

Ship To:

American Business Futures
Racine Warehouse
5411 Kendrick Place

Racine, WI 53120
United States of America

Terms: 01 Net 30 Days

Ship Via*:

Customer PO:

Desired Ship Date:

Payment Type*:

Validation Code:

Credit Card Number:

The 3 digit code on the back of your MasterCard or Visa card or the 4 digit code on the front of your American Express card.

Expiration Date: 2006

☐ Card Address same as Billing

Cardholder Name:

Local intranet

HTML Markup added to the order shopping cart submission page to add the Item Selected UDF:

```
<th class="IntRevRow" >Item Description</th>
```

```
<th class="IntRevRow" >My IT Shopping Cart Detail Column</th>
```

This is the markup that adds the column title. Note, it comes before the unique markup that indicates a dynamically filled table.

```
<th class="IntRevRow" >Quantity</th>
```

```
<th class="IntRevRow" >Unit Price</th>
```

```
<th class="IntRevRow" >Extension</th></tr>
```

```
<tr><td>~~IW_ShoppingCartOrder.m4p;SHOPPING_CART_TABLE?t~~</td></tr>
```

This is the HTML Markup that dynamically fills the items to be displayed on the page. All tokens in the table must be encapsulated in the next set of table row tags (<tr> ... </tr>)

```
<tr><td valign="top" class="~~RowStyle$~~" valign="top"><input type="hidden" name="Row~~row~~.RowKey" value="~~RowKey$~~">
<input type="hidden" name="Row~~row~~.Item" value="~~IT_ShoppingCartDetail.ItemCode$~~">
<a class="~~RowStyle$~~"
href="IW_Products.m4p.pvx?;ITEM?ItemCode=~~FN%RFC1738Encode$(IT_ShoppingCartDetail.ItemCode$)?x~~&Source=sc" title="Click
to display the item detail page">~~IT_ShoppingCartDetail.ItemCode$~~</a>&nbsp;</td>
<td valign="top" class="~~RowStyle$~~" valign="top">~~ItemDescription$a~~</td>
```

```
<td class="~~RowStyle$~~" valign="top"><input type="text" name="row~~row~~.UDF_IT_Cart_Detail"
value="~~IT_ShoppingCartDetail.UDF_IT_Cart_Detail$~~" size="31" maxlength="30"></td>
```

This page is always loaded from the IT_ShoppingCartDetail table. Therefore the expression found on the products and services pages are not necessary. If you wish to default this value from CI_Item, all that is needed is to have the columns properly mapped from the CI_Item table to the IT_ShoppingCartItemsSelected, then to IT_ShoppingCartDetail. When properly mapped, the values will be automatically defaulted when the records are created.

```
<td valign="top" class="~~RowStyle$~~" align="right" valign="top"><input name="Row~~row~~.Quantity" style="text-align:right"
value="~~STP(STR(IT_ShoppingCartDetail.Quantity:%TemplateSvc'eBMQuantityMask$),2)?x~~" size="17" maxlength="17"
onBlur="FmtQty(this,~~%TemplateSvc'eBMQuantityPrecision~~,~~%TemplateSvc'MaximumQuantity$~~)">&nbsp;</td>
```

Display of the .order shopping cart submission page after submitting a new value in the UDF column input fields:

View Shopping Cart - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites

Address http://localhost/IW_ShoppingCartOrder.m4p.pvx?;SUBMIT_SO Go

ABC Distribution and Service Corporation

Home | User | Customer | Invoices | Open Orders | Order History | RMA | Credit Info | Ship-to Info | Shopping | View Cart | Help

View Shopping Cart

Item Number	Item Description	My IT Shopping Cart Detail Column	Quantity	Unit Price	Extension
4886-18-14-3	PAPER CADDY	My Paper Caddy Cart Value	1	45.00	45.00
ARS-9201	SPECIALTY GINGER JAR LAMP	My Ginger Jar Cart Value	2	94.95	189.90
STEREO/CD PCKGE	AM/FM STEREO CD/CASSETTE PLAYER	My Stereo Cart Value	3	2,800.00	8,400.00
				Taxable:	0.00
				Non Taxable:	8,634.90
				Freight:	0.00
				Sales Tax:	0.00
				Order Total:	8,634.90

Click Next to save your changes.
Change quantity to zero to delete an item.

Enter item number and quantity to add an item.

Bill To: American Business Futures
2131 N. 14th Street
Suite 100
Accounting Department
Milwaukee, WI 53205-1204
United States of America

Ship To: American Business Futures
American Business Futures
Racine Warehouse
5411 Kendrick Place
Racine, WI 53120
United States of America

Terms: 01 Net 30 Days

Customer PO:

Ship Via*: U.S. POSTAL SERVICE

Desired Ship Date: 11/10/2006

[illegible]

Display of the .order shopping cart confirmation page:

Confirm Shopping Cart Submission - Microsoft Internet Explorer

Address: http://localhost/IW_ShoppingCartOrder.m4p.pvx?;SUBMIT_SO_SUBMIT

ABC Distribution and Service Corporation

Home | User | Customer | Invoices | Open Orders | Order History | RMA | Credit Info | Ship-to Info | Shopping | View Cart | Help

Confirm Shopping Cart Submission

Item Number	Item Description	My IT Shopping Cart Detail Column	Quantity	Unit Price	Extension
4886-18-14-3	PAPER CADDY	My Paper Caddy Cart Value	1	45.00	45.00
ARS-9201	SPECIALTY GINGER JAR LAMP	My Ginger Jar Cart Value	2	94.95	189.90
STEREO/CD PCKGE	AM/FM STEREO CD/CASSETTE PLAYER	My Stereo Cart Value	3	2,800.00	8,400.00
				Taxable:	0.00
				Non Taxable:	8,634.90
				Freight:	0.00
				Sales Tax:	0.00
				Order Total:	8,634.90

Bill To: American Business Futures
2131 N. 14th Street
Suite 100
Accounting Department
Milwaukee, WI 53205-1204
United States of America

Ship To: American Business Futures
Racine Warehouse
5411 Kendrick Place
Racine, WI 53120
United States of America

Terms: 01 Net 30 Days

Payment Method: Terms

Ship Via: U.S. POSTAL SERVICE

Customer PO:

Desired Ship Date: 11/10/2006

Comments & Special Instructions:

Note: The column values are read only on this page. You can not set this page up to submit a change.

HTML Markup added to the order shopping cart confirmation page to add the Item Selected UDF:

```
<th class="IntRevRow" >Item Description</th>
```

```
<th class="IntRevRow" >My IT Shopping Cart Detail Column</th>
```

This is the markup that adds the column title. Note, it comes before the unique markup that indicates a dynamically filled table.

```
<th class="IntRevRow" >Quantity</th>
```

```
<th class="IntRevRow" >Unit Price</th>
```

```
<th class="IntRevRow" >Extension</th></tr>
```

```
<tr><td>~~IW_ShoppingCartOrder.m4p;SHOPPING_CART_TABLE?t~~</td></tr>
```

This is the HTML Markup that dynamically fills the items to be displayed on the page. All tokens in the table must be encapsulated in the next set of table row tags (<tr> ... </tr>)

```
<tr><td valign="top" class=~~RowStyle$~~ valign="top">~~IT_ShoppingCartDetail.ItemCode$~~</td>
```

```
<td valign="top" class=~~RowStyle$~~ valign="top">~~ItemDescription$a~~</td>
```

```
<td valign="top" class=~~RowStyle$~~ valign="top">~~IT_ShoppingCartDetail.UDF_IT_Cart_Detail$~~</td>
```

This is the markup that adds the column value. Note, it is a standard display token, not within a form input markup tag since this page is read only.

```
<td valign="top" class=~~RowStyle$~~ align="right"
```

```
valign="top">~~TBL(POS(IT_ShoppingCartDetail.ItemType$="135"),"",STR(IT_ShoppingCartDetail.Quantity:%TemplateSvc'eBMQuantityMas  
k$),"",STR(IT_ShoppingCartDetail.Quantity:%TemplateSvc'eBMQuantityMask$))?x~~</td>
```

Display of the sales order generated after update of the shopping cart submission:

*** Sales Order Entry (ABC) 11/10/2006**

Order Number: 0000178

1. Header | 2. Address | 3. Lines | 4. Totals

	Item Code	Ordered	Back Ordered	Unit Price	Extension	
1	4886-18-14-3	1.00	.00	45.000	45.00	
2	ARS-9201	2.00	.00	94.950	189.90	
3	STEREO/CD PCKGE	3.00	.00	2,800.000	8,400.00	
4		.00	.00	.000	.00	

Costing: Average

Extended Desc: ☐

Component: ☐

y SO Detail Column: My Paper Caddy Cart Value

Total Amount: 8,634.90

Quick Print... Recalc Price Accept Cancel Delete

	Item Code	Ordered	Back Ordered	Unit Price	Extension	C
1	4886-18-14-3 	1.00	.00	45.000	45.00	
2	ARS-9201	2.00	.00	94.950	189.90	
3	STEREO/CD PCKGE	3.00	.00	2,800.000	8,400.00	
4		.00	.00	.000	.00	

Costing	Average
Extended Desc	☐
Component	☐
y SO Detail Colu	My Paper Caddy Cart Value

After adding this to the shopping cart from the sales order inquiry page:

Products and Services - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Print Mail News RSS Feeds

Address http://localhost/IW_Products.m4p.pvx?;PRODUCT5_NO_TREE Go

ABC Distribution and Service Corporation

Home | User | Customer | Invoices | Open Orders | Order History | RMA | Credit Info | Ship-to Info | Shopping | View Cart | Help

Equipment | Furniture | Printers | **Specials**

Search

for

in

[advanced](#)

Shopping Cart

items 3

amount 8,634.90

Specials

3 items

Specials



Specials: page 1 of 1

	PAPER CADDY Base Price 45.00	Quantity Available 64	Shopping Cart 1
My Item or Items Selected Column:		My Paper Caddy Cart Value	
	SPECIALTY GINGER JAR LAMP Base Price 94.95	Quantity Available 158	Shopping Cart 2
My Item or Items Selected Column:		My Ginger Jar Cart Value	
	AM/FM STEREO CD/CASSETTE PLAYER Base Price 2,800.00	Quantity Available 0	Shopping Cart 3
My Item or Items Selected Column:		My Stereo Cart Value	

A similar result will be obtained when items are added to the shopping cart from the invoice and sales order history detail drill down inquiry pages.

Initial display of the .store shopping cart submission page 1:


Initial display of the .store shopping cart submission page 1:

Shopping Cart Item Information, Step 1 of 3 - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Reload Mail Print Word Pad Address Bar Go

http://localhost/IW_ShoppingCartStore.m4p.pvx?;SC_STEP1?company=ABC


[Home](#) | [Profile](#) | [Products](#) | [Check Out](#)

Shopping Cart Item Information, Step 1 of 3

Item Number	Item Description	My IT Items Selected Column	Quantity	Unit Price	Extension
4886-18-14-3	PAPER CADDY	My Paper Caddy Item Sel Value	1	45.00	45.00
ARS-9201	SPECIALTY GINGER JAR LAMP	My Ginger Jar Item Sel Value	2	94.95	189.90
STEREO/CD PCKGE	AM/FM STEREO CD/CASSETTE PLAYER	My Stereo Item Sel Value	3	2,800.00	8,400.00
				Order Total:	8,634.90

Change quantity to zero to delete an item.
Click Next to save your changes and proceed to address and payment information.

E-mail Address*:

Password*: [Forgot Your Password?](#)

Confirm Password*:

Already a customer? [Sign In](#)

* Required Field

HTML Markup added to the .store shopping cart step 1 submission page to add the Item Selected UDF:

```
<th class="IntRevRow" >Item Description</th>
```

```
<th class="IntRevRow" >My IT Items Selected Column</th>
```

This is the markup that adds the column title. Note, it comes before the unique markup that indicates a dynamically filled table.

```
<th class="IntRevRow" >Quantity</th>
<th class="IntRevRow" >Unit Price</th>
<th class="IntRevRow" >Extension</th></tr>
```

```
<tr><td>~~IW_ShoppingCartStore.m4p;SC_STEP1_TABLE?t~~</td></tr>
```

This is the HTML Markup that dynamically fills the items to be displayed on the page. All tokens in the table must be encapsulated in the next set of table row tags (<tr> ... </tr>)

```
<tr><td valign="top" class=~~RowStyle$~~ valign="top">
  <input type="hidden" name="Row~~row~~.Item" value="~~IT_ShoppingCartItemsSelected.ItemCode$~~">
  <a class=~~RowStyle$~~
    href="IW_Products.m4p.pvx?;ITEM?ItemCode=~~FN%RFC1738Encode$(IT_ShoppingCartItemsSelected.ItemCode$)?x~~&Source=sc"
    title="Click to display the item detail page">~~IT_ShoppingCartItemsSelected.ItemCode$~~</a>&nbsp;</td>
<td class=~~RowStyle$~~ valign="top">~~LineDescription$~~<br>~~Alias$~~</td>

<td class=~~RowStyle$~~ valign="top"><input type="text" name="row~~row~~.UDF_IT_Selected"
value="~~IT_ShoppingCartItemsSelected.UDF_IT_Selected$~~" size="31" maxlength="30"></td>
```

This page is always loaded from the IT_ShoppingCartItemsSelected table. Therefore the expression found on the products and services pages are not necessary. If you wish to default this value from CI_Item, all that is needed is to have the columns properly mapped from the CI_Item table to the IT_ShoppingCartItemsSelected. When properly mapped, the values will be automatically defaulted when the records are created.

```
<td class=~~RowStyle$~~ align="right" valign="top"><input name="Row~~row~~.Quantity" style="text-align:right"
value="~~STP(STR(IT_ShoppingCartItemsSelected.Quantity:%TemplateSvc'eBMQuantityMask$,2)?x~~" size="17" maxlength="17"
onBlur="FmtQty(this,~~%TemplateSvc'eBMQuantityPrecision~~,~~%TemplateSvc'MaximumQuantity$~~)">&nbsp;</td>
```

Display of the .store shopping cart confirmation page:

Shopping Cart Confirmation, Step 3 of 3 - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back
 Forward
 Stop
 Home
 Search
 Favorites
 Print
 Mail
 Run
 Find
 Help

Address http://localhost/IW_ShoppingCartStore.m4p.pvx?;SC_STEP2_SUBMIT Go

[Home](#)
[Profile](#)
[Products](#)
[Check Out](#)

Shopping Cart Confirmation, Step 3 of 3

Item Number	Item Description	My IT Shopping Cart Detail Column	Quantity	Unit Price	Extension
4886-18-14-3	PAPER CADDY	My Paper Caddy Cart Value	1	45.00	45.00
ARS-9201	SPECIALTY GINGER JAR LAMP	My Ginger Jar Cart Value	2	94.95	189.90
STEREO/CD PCKGE	AM/FM STEREO CD/CASSETTE PLAYER	My Stereo Cart Value	3	2,800.00	8,400.00
				Taxable:	0.00
				Non Taxable:	8,634.90
				Freight:	10.00
				Sales Tax:	0.00
				Order Total:	8,644.90

Bill To:

Someone Somplace

Somewhere, CA 92630
United States of America

Ship To:

Someone Somplace

Somewhere, CA 92630
United States of America

Payment Method: Cash
 Ship Via: Cash On Delivery

Clear Cart

Previous

Finish

Prices may be subject to change. For an immediate copy of this submission for your records, use your browser to print this page before you click the Finish button.

[Home](#)
[Profile](#)
[Products](#)
[Check Out](#)
[Help](#)

Please send questions or comments to the Webmaster.

Note: The column values are read only on this page. You can not set this page up to submit a change.

HTML Markup added to the .store shopping cart step 1 confirmation page to add the Item Selected UDF:

```
<th class="IntRevRow" >Item Description</th>
```

```
<th class="IntRevRow" >My IT Shopping Cart Detail Column</th>
```

This is the markup that adds the column title. Note, it comes before the unique markup that indicates a dynamically filled table.

```
<th class="IntRevRow" >Quantity</th>
```

```
<th class="IntRevRow" >Unit Price</th>
```

```
<th class="IntRevRow" >Extension</th></tr>
```

```
<tr><td>~~IW_ShoppingCartOrder.m4p;SHOPPING_CART_TABLE?t~~</td></tr>
```

This is the HTML Markup that dynamically fills the items to be displayed on the page. All tokens in the table must be encapsulated in the next set of table row tags (<tr> ... </tr>)

```
<tr><td valign="top" class=~~RowStyle$~~ valign="top">~~IT_ShoppingCartDetail.ItemCode$~~</td>
```

```
<td valign="top" class=~~RowStyle$~~ valign="top">~~ItemDescription$a~~</td>
```

```
<td valign="top" class=~~RowStyle$~~ valign="top">~~IT_ShoppingCartDetail.UDF_IT_Cart_Detail$~~</td>
```

This is the markup that adds the column value. Note, it is a standard display token, not within a form input markup tag since this page is read only.

```
<td valign="top" class=~~RowStyle$~~ align="right"
```

```
valign="top">~~TBL(POS(IT_ShoppingCartDetail.ItemType$="135"),"",STR(IT_ShoppingCartDetail.Quantity:%TemplateSvc'eBMQuantityMas  
k$),"",STR(IT_ShoppingCartDetail.Quantity:%TemplateSvc'eBMQuantityMask$))?x~~</td>
```

Example of adding a UDF to the customer table, flowing through to the header:

Customer and Header UDF's setup:

UDF Maintenance Listing ABC Distribution and Service Corp. (ABC)

Table	ODBC Field Name
AR_Customer	UDF_CUSTOMER
AR_InvoiceHistoryHeader	UDF_HISTORY_HEADER
AR_TransactionPosting	UDF_TRANSACTION
IT_ShoppingCartHeader	UDF_CART_HEADER
IT_UIDCustomerChange	UDF_UID_CUSTOMER_CHANGE
SO_InvoiceHeader	UDF_INVOICE_HEADER
SO_SalesOrderHeader	UDF_ORDER_HEADER
SO_SalesOrderHistory	UDF_ORDER_HEADER

eBM Template Maintenance:

Hint: In order to avoid inadvertent changes to your modified templates, make a copy of the standard template to make your changes in. Then in template maintenance, assign your modified template to replace the standard template.

Template Maintenance (ABC) 11/10/2006

	Template Code	Sequence No.	Description	Template Name	Include
1	IW_ADDITEMS.M4P	000000	Add Items to Shopping Cart	additems.htm	
2	IW_CUSTOMER.M4P	000000	Customer Maintenance	customer_custom.htm	
3	IW_CUSTOMER.M4P	000010	Customer Inquiry	cust_inquiry_custom.htm	
4	IW_CUSTOMER.M4P	000020	Credit Inquiry	credit.htm	
5	IW_CUSTOMER.M4P	000030	Ship To Address Browse	ship_to_browse.htm	
6	IW_CUSTOMER.M4P	000040	Ship To Address Inquiry	ship_to.htm	
7	IW_HELP.M4P	000000	Help Table of Contents Page	Help_TOC.htm	
8	IW_INQUIRYARINVOICE.M4P	000000	Invoice Inquiry Options	inv_inq_options.htm	
9	IW_INQUIRYARINVOICE.M4P	000010	Invoice Inquiry - Summary	inv_inq_smry.htm	
10	IW_INQUIRYARINVOICE.M4P	000020	Invoice Inquiry - Detail	inv_inq_dtl.htm	
11	IW_INQUIRYARINVOICE.M4P	000030	Invoice Header Drill Down	inv_dd_hdr.htm	
12	IW_INQUIRYARINVOICE.M4P	000040	Invoice Lines Drill Down	inv_dd_ln.htm	
13	IW_INQUIRYRMA.M4P	000000	RMA Inquiry Options	rma_inq_options.htm	

Accept Cancel

Template Maintenance (ABC) 11/10/2006

	Template Code	Sequence No.	Description	Template Name	Include
44	IW_PRODUCTS.M4P	000071	Item Detail (framed)	item_frame.htm	
45	IW_SALESTAX.M4P	000000	Sales Tax Detail	sales_tax_dtl.htm	
46	IW_SHOPPINGCARTORDER.M4P	000000	View .order Shopping Cart	Submit_SO_Custom.htm	
47	IW_SHOPPINGCARTORDER.M4P	000010	Confirm .order Shopping Cart	Confirm_SO_Custom.htm	
48	IW_SHOPPINGCARTSTORE.M4P	000000	.store Shopping Cart Step 1	SC_Step1_custom.HTM	
49	IW_SHOPPINGCARTSTORE.M4P	000010	.store SC Step 2,w/Ship Addr	SC_step2_custom.htm	
50	IW_SHOPPINGCARTSTORE.M4P	000020	.store SC Step 2,No Ship Addr	SC_step2_no_ship.htm	
51	IW_SHOPPINGCARTSTORE.M4P	000030	.store Shopping Cart Step 3	SC_Step3_custom.HTM	
52	IW_USER.M4P	000000	User ID Maintenance	uid.htm	
53	IW_USER.M4P	000010	User ID Browse	uid_browse.htm	
54	IW_USER.M4P	000020	.store User Profile	profile_custom.htm	
55					

Accept Cancel

Templates Modified to include the Customer / Header UDF's:

.store Profile page before submission of a change to the customer / UID customer change UDF:

The screenshot shows a web browser window titled "User Profile - Microsoft Internet Explorer". The address bar displays "http://localhost/IW_User.m4p.pvx?;PROFILE?company=ABC". The page header features the "ABC Distribution and Service Corporation" logo and navigation links: "Home", "Profile", "Products", and "Check Out".

The main content area is titled "User Profile" and includes a link "Already a customer? [Sign In](#)". Below this is a form with the following fields:

- Name*:** Someone
- Address*:** Somplace
- City* / State*:** Somewhere CA
- ZIP Code* / Country*:** 92630 United States of America
- Phone Number 1:** (111) 222-3333 **Ext:**
- Phone Number 2:** **Ext:**
- Fax Number:**
- My Customer Column:** My .store customer column value
- E-mail Address*:** someone@somewhere.com
- Current Password*:** [Forgot Your Password?](#)

Below the form is a section titled "Change Password" with the following fields:

- New Password:**
- Confirm New Password:**

A note at the bottom of the form states "* Required Field". A "Submit" button is located at the bottom of the page.

This value is what was stored in the AR_Customer table UDF when the page was displayed.

HTML Markup added to the .store profile change submission page to add the customer / UID customer change UDF:

```
<tr><th class="IntRow" align="right">Fax Number:</th>
<td class="DataRow"><input type="text" name="FaxNo" value="~~SY_EBusinessManagerUserID.FaxNo$~~" onblur="(FmtPhone(this))"
size="18" maxlength="17"></td></tr>
```

```
<tr><th class="IntRow" align="right">My Customer Column:</th>
```

This is the markup that adds the row title.

```
<td class="DataRow"><input type="text" name="UDF_UID_Customer_Change" value="~~AR_Customer.UDF_Customer$~~" size="51"
maxlength="50"></td></tr>
```

This is the markup that adds the column input control. Note: Since we do not allow editing of pending profile submission, the value= argument is always set to the AR_Customer UDF column value.

```
<tr><th class="IntRow" align="right">E-mail Address*:</th>
```

Customer Maintenance screen for .store customer with the UID customer change UDF updated:

*** Customer Maintenance (ABC) 11/10/2006**

Customer No.

Customer Credit Limit Is Exceeded

1. Main
2. Additional
3. Statistics
4. Summary
5. History
6. Invoices
7. Transactions
8. S/O's

Comment

Open Item Customer ☒

Temporary Customer ☐

Internet Enabled ☒

Printing

Sort

Customer Type

Statement Cycle

Print Dun Message ☒

Batch Fax ☐

Data Entry

Item Code

Price Level

Dflt Pymt Type

Discount Rate

Fin Charge Rate

Primary Credit Card Information

CC Number

CC Pymt Type

Cardholder Name

Expiration Date

My Customer Column

.store shopping cart step 2 submission page with customer UDF mapped to the shopping cart header table, before submitting a change:

Shopping Cart Address and Payment Information, Step 2 of 3 - Microsoft Internet Explorer

Address: http://localhost/IW_ShoppingCartStore.m4p.pvx?;SC_STEP1_SUBMIT

ABC Distribution and Service Corporation [Home](#) | [Profile](#) | [Products](#) | [Check Out](#)

Shopping Cart Address and Payment Information, Step 2 of 3

Billing Information

Name*: Someone Phone Number 1*: (111) 222-3333

Address*: Somplace Extension 1:

Phone Number 2:

Extension 2:

City*: Somewhere Fax Number:

State*: California E-mail: someone@somewhere.com

ZIP Code*: 92630 Ship Via*: Cash On Delivery

Country*: United States of America Payment Type*: Cash

My Shopping Cart Header Column: My .store customer column new / changed value

Credit Card Information (Check if same as Billing Information: ☐)

HTML Markup added to the .store shopping cart step 2 submission page to add the shopping cart header UDF:

```
<tr><th class="IntRow" align="right"><nobr>Country*:</nobr></th>
<td class="DataRow">~~IW_Common.m4p;BILL_TO_COUNTRY?p~~</td>
<th class="IntRow" align="right">Payment Type*:</th>
<td class="DataRow">~~IW_Common.m4p;PAY_METHOD?p~~</td></tr>
```

```
<tr><th class="IntRow" align="right">My Shopping Cart Header Column:</th>
```

This is the markup that adds the row title.

```
<td class="DataRow" colspan="3"><input type="text" name="UDF_Cart_Header"
value="~~TBL(NOT(NUL(IT_ShoppingCartHeader.UDF_Cart_Header$)),AR_Customer.UDF_Customer$,IT_ShoppingCartHeader.UDF_Ca
rt_Header$)?x~~" size="51" maxlength="50"></td></tr>
```

Above is the HTML markup to added the shopping cart header UDF to the default template. The shopping cart records are initially generated when this page is submitted. Therefore an expression is needed (similar to the products and services page to display the AR Customer value when the IT_ShoppingCartHeader record has not been created yet.

```
<!-- Credit Card Information -->
```

.store shopping cart confirmation page with change submitted to the shopping cart header UDF default value:

Shopping Cart Confirmation, Step 3 of 3

Item Number	Item Description	My IT Shopping Cart Detail Column	Quantity	Unit Price	Extension
4886-18-14-3	PAPER CADDY	My Paper Caddy Item UDF Value	1	45.00	45.00
ARS-9201	SPECIALTY GINGER JAR LAMP	My Ginger Jar Item UDF Value	2	94.95	189.90
STEREO/CD PCKGE	AM/FM STEREO CD/CASSETTE PLAYER	My Stereo Item UDF Value	3	2,800.00	8,400.00
				Taxable:	0.00
				Non Taxable:	8,634.90
				Freight:	10.00
				Sales Tax:	0.00
				Order Total:	8,644.90

Bill To: Someone Somplace
Somewhere, CA 92630
United States of America

Ship To: Someone Somplace
Somewhere, CA 92630
United States of America

Payment Method: Cash

Ship Via: Cash On Delivery

My Shopping Cart Header Column: My .store customer column shopping cart value

Clear Cart Previous Finish

Note: The column values are read only on this page. You can not set this page up to submit a change.

HTML Markup added to the .store shopping cart step 3 confirmation page to add the shopping cart header UDF:

```
<td class="DataRow">&nbsp;--SO_ShippingRateHeader.ShippingCodeDesc$--</td></tr></table></td></tr>
<tr><td>&nbsp;</td></tr>
```

```
<tr><td><table>
  <tr><th class="IntRow" align="right">My Shopping Cart Header Column:</th>
```

This is the markup that adds the row title.

```
<td class="DataRow">--IT_ShoppingCartHeader.UDF_Cart_Header$-- </td></tr>
</table></td></tr>
```

This is the markup that adds the UDF value.

```
<tr><td class="DataRow" align="center">
```

Sales Order entry dialog with the header UDF updated from the .store shopping cart submission:

*** Sales Order Entry (ABC) 11/10/2006**

Order Number: 0000181

Copy from... Defaults... Customer... Credit...

1. Header 2. Address 3. Lines 4. Totals

Customer No. 99-0000013 Someone

Copy Ship To

Bill To Address

Name: Someone

Address: Somplace

ZIP Code: 92630

City: Somewhere State: CA

Country: USA United States of America

Ship To Address

Ship To: Residential Address

Name: Someone

Address: Somplace

ZIP Code: 92630

City: Somewhere State: CA

Country: USA United States of America

My Order Header Column: My .store customer column shopping cart value

Quick Print... Recalc Price

Accept Cancel Delete

Customer dialog with the header UDF updated from the .store shopping cart submission:

Customer No. 99-0000013

Name Someone

Copy From...

Renumber...

Contacts...

Customer Credit Limit Is Exceeded

1. Main

2. Additional

3. Statistics

4. Summary

5. History

6. Invoices

7. Transactions

8. S/Os

Comment

Open Item Customer

Temporary Customer

Internet Enabled

Sort

Customer Type

Statement Cycle

Print Dun Message

Batch Fax

Data Entry

Item Code

Price Level

Dflt Pymt Type

Discount Rate

Fin Charge Rate

Primary Credit Card Information

CC Number

CC Pymt Type

Cardholder Name

Expiration Date

My Customer Column

My .store customer column shopping cart value

Accept

Cancel

Delete

Note: A header UDF mapped to the customer record is only updated on a .store shopping cart submission when the submission is updated to sales order.

.order Customer Inquiry page with customer / UID customer change UDF column added:

Customer Inquiry - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail New Window

Address http://localhost/IW_Customer.m4p.pvx?;CUSTOMER Go

ABC Distribution and Service Corporation

[Home](#) | [User](#) | [Customer](#) | [Invoices](#) |
[Open Orders](#) | [Order History](#) | [RMA](#) |
[Credit Info](#) | [Ship-to Info](#) | [Shopping](#) |
[View Cart](#) | [Help](#) |

Customer Inquiry	
Customer:	ABF American Business Futures
Address:	2131 N. 14th Street Suite 100 Accounting Department
City / State:	Milwaukee WI
ZIP Code / Country:	53205-1204 United States of America
Phone Number:	(414) 655-4787 Ext: 219
Fax Number:	
E-mail Address:	artie@abf.com
URL Address:	www.abf.com
Ship Via:	UPS 2ND DAY AIR
My Customer Column:	My ABF customer column value
Credit Limit:	120,000.00
Terms:	01 Net 30 Days
Salesperson:	0100 Jim Kentley
Primary Contact:	Artie Johnson
Established / Last Activity Date	01/01/2009 05/31/2010

[Home](#) [User](#) [Customer](#) [Invoices](#) [Open Orders](#) [Shopping](#) [View Cart](#)

Please send questions or comments to the [Webmaster](#).

Local intranet

Note: This page is displayed when the eBM User does not have supervisory rights. It is read only. Therefore submissions of changes is not supported from this page.

HTML Markup added to the customer inquiry page to add the customer UDF:

```
<tr><th class="IntRow" align="right">Ship Via:</th>
  <td class="DataRow">
    ~~IW_Common.m4p;SHIP_VIA?p~~
  </td></tr>
```

```
<tr><th class="IntRow" align="right">My Customer Column:</th>
```

This is the markup that adds the row title.

```
<td class="DataRow">~~AR_Customer.UDF_Customer$~~</td></tr>
```

This is the markup that adds the udf value.

```
<tr><th class="IntRow" align="right">Credit Limit:</th>
```

.order Customer Maintenance page before submission of a change

Customer Maintenance - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Reload Print Mail W Yellow Plus Printers People

Address http://localhost/IW_Customer.m4p.pvx?;CUSTOMER Go

ABC Distribution and Service Corporation

[Home](#) | [User](#) | [Customer](#) | [Invoices](#) |
[Open Orders](#) | [Order History](#) | [RMA](#) |
[Credit Info](#) | [Ship-to Info](#) | [Shopping](#) |
[View Cart](#) | [Help](#) |

Customer Maintenance

Customer:	ABF	American Business Futures
Address:	2131 N. 14th Street	Suite 100
	Accounting Department	
City / State:	Milwaukee	WI
ZIP Code / Country:	53205-1204	United States of America ▼
Phone Number:	(414) 655-4787	Ext: 219
Fax Number:		
E-mail Address:	artie@abf.com	
URL Address:	www.abf.com	
My Customer Column:	My ABF customer column value	
Ship Via:	▼	
Credit Limit:	120,000.00	
Terms:	01 Net 30 Days	
Salesperson:	0100 Jim Kentley	
Primary Contact:	Artie Johnson	
Established / Last Activity Date	01/01/2009 05/31/2010	
Submit		

[Home](#) [User](#) [Customer](#) [Invoices](#) [Open Orders](#) [Shopping](#) [View Cart](#)

 Please send questions or comments to the [Webmaster](#).

Done Local intranet

HTML Markup added to the customer maintenance page to add the customer UDF:

```
<tr><th class="IntRow" align="right">URL Address:</th>
<td class="DataRow"><input type="text" name="URLAddress" value="--AR_Customer.URLAddress$--" size="51"
maxlength="50"></td></tr>

<tr><th class="IntRow" align="right">My Customer Column:</th>
```

This is the markup that adds the row title.

```
<td class="DataRow"><input type="text" name="UDF_UID_Customer_Change" value="--AR_Customer.UDF_Customer$--" size="51"
maxlength="50"></td></tr>
```

This is the markup that adds the UDF value. Note: Since we do not allow editing of pending customer change submission, the value= argument is always set to the AR_Customer UDF column value.

```
<tr><th class="IntRow" align="right">Ship Via:</th>
```

Customer Maintenance screen for .order customer with the submitted change updated:

Customer No. 01-ABF

Name American Business Futures

Copy From...

Renumber...

Contacts...

1. Main

2. Additional

3. Statistics

4. Summary

5. History

6. Invoices

7. Transactions

8. S/Os

Comment Call Ed for credit approval.

Open Item Customer ☒

Temporary Customer ☐

Internet Enabled ☒

Printing

Sort AMER

Customer Type A2

Statement Cycle M

Print Dun Message ☒

Batch Fax ☐

Data Entry

Item Code WIDGET 8" x 10" Widg

Price Level 1

Dflt Pymt Type CREDIT CARD American Express

Discount Rate .000 %

Fin Charge Rate 1.500%

Primary Credit Card Information

CC Number *****6780

CC Pymt Type AMEX American Express

Cardholder Name John Q. Future

Expiration Date 6/2012

Credit Cards...

My Customer Column

My ABF customer column new / changed value

Accept

Cancel

Delete

order shopping cart submission page with customer UDF mapped to the shopping cart header table, before submitting a change:

View Shopping Cart - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Reload Print Mail Download Upload People

Address http://localhost/IW_ShoppingCartOrder.m4p.pvx?;SUBMIT_50 Go

Bill To:	American Business Futures 2131 N. 14th Street Suite 100 Accounting Department Milwaukee, WI 53205-1204 United States of America	Ship To:	American Business Futures American Business Futures Racine Warehouse 5411 Kendrick Place Racine, WI 53120 United States of America
Terms:	01 Net 30 Days	Ship Via*:	
Customer PO:		Desired Ship Date:	11/10/2006

Payment Type*:	Terms	Validation Code:	
Credit Card Number:		The 3 digit code on the back of your MasterCard or Visa card or the 4 digit code on the front of your American Express card.	
Expiration Date:		☐	Card Address same as Billing
Cardholder Name:		☐	Remember Card Information
Address:			
City:			
State:	Select State		
ZIP Code:			

Comments & Special Instructions:

My Shopping Cart Header Column: My ABF customer column new / changed value

[Next](#)

Click Next to save your changes and proceed to order confirmation.

[Home](#) [User](#) [Customer Invoices](#) [Open Orders](#) [Shopping View Cart](#)

Please send questions or comments to the [Webmaster](#).

HTML Markup added to the .order shopping cart submission page to add the header UDF:

```
<tr><td>&nbsp;</td></tr>
<tr><th class="IntRow">Comments & Special Instructions:<br><textarea cols=50 name="Comment" rows="4" wrap="virtual"
onBlur="checkSize(this.form)">~~Comment$~~</textarea></th></tr>
<tr><td>&nbsp;</td></tr>
```

```
<tr><td><table>
  <tr><th class="IntRow" align="right">My Shopping Cart Header Column:</th>
```

This is the markup that adds the row title.

```
  <td class="DataRow"><input type="text" name="UDF_Cart_Header"
    value="~~TBL(NOT(NUL(IT_ShoppingCartHeader.UDF_Cart_Header$)),AR_Customer.UDF_Customer$,IT_ShoppingCartHeader.UDF_Ca
    rt_Header$)?x~~" size="51" maxlength="50"></td></tr>
</table></td></tr>
```

Above is the HTML markup to added the shopping cart header UDF to the default template. The shopping cart records are initially generated when this page is submiited. Therefore an expression is needed (similar to the products and services page to display the AR Customer value when the IT_ShoppingCartHeader record has not been created yet.

```
<tr><td class="DataRow" align="center">
```

order shopping cart confirmation page with submitted change to the shopping cart header UDF default value:

Confirm Shopping Cart Submission - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Print Mail Address http://localhost/IW_ShoppingCartOrder.m4p.pvx?;SUBMIT_SO_SUBMIT Go

Confirm Shopping Cart Submission

Item Number	Item Description	My IT Shopping Cart Detail Column	Quantity	Unit Price	Extension
4886-18-14-3	PAPER CADDY	My Paper Caddy Item UDF Value	1	45.00	45.00
ARS-9201	SPECIALTY GINGER JAR LAMP	My Ginger Jar Item UDF Value	2	94.95	189.90
STEREO/CD PCKGE	AM/FM STEREO CD/CASSETTE PLAYER	My Stereo Item UDF Value	3	2,800.00	8,400.00
				Taxable:	0.00
				Non Taxable:	8,634.90
				Freight:	10.00
				Sales Tax:	0.00
				Order Total:	8,644.90

Bill To: American Business Futures 2131 N. 14th Street Suite 100 Accounting Department Milwaukee, WI 53205-1204 United States of America	Ship To: American Business Futures Racine Warehouse 5411 Kendrick Place Racine, WI 53120 United States of America
---	---

Terms: 01 Net 30 Days Payment Method: Terms	Ship Via: Cash On Delivery Customer PO: Desired Ship Date: 11/10/2006
--	--

Comments & Special Instructions:

My Shopping Cart Header Column: My ABF customer column cart header value

Prices may be subject to change. For an immediate copy of this submission for your records, use your browser to print this page before you click the Accept button.

Note: The column values are read only on this page. You can not set this page up to submit a change.

HTML Markup added to the .order shopping cart confirmation page to add the shopping cart header UDF:

| | <tr><th class="introw">Comments & Special Instructions:
<textarea cols="50" rows="4" name="Comment" disabled readonly>~~Comment\$~~</textarea><input type="hidden" name="Comment" value="~~Comment\$~~"></th></tr> <tr><td> </td></tr> |

```
<tr><td><table>
  <tr><th class="IntRow" align="right">My Shopping Cart Header Column:</th>
```

This is the markup that adds the row title.

```
<td class="DataRow">~~IT_ShoppingCartHeader.UDF_Cart_Header$~~ </td></tr>
</table></td></tr>
```

This is the markup that adds the UDF value

| |

Sales Order entry dialog with the header UDF updated from the .order shopping cart submission:

Order Number

1. Header
2. Address
3. Lines
4. Totals

Customer No.
American Business Futures

Bill To Address

Ship To Address

Name

Address

ZIP Code

City
State

Country

Ship To

Name

Address

ZIP Code

City
State

Country

My Order Header Column