

# Simple Display Only Item UDF

Our first example will outline the steps required to display an Item UDF to the e-Business Manager visitor. Our example displays a new UDF, Fabrication Time, on the Product Listing and the Item Detail pages.

The data is informational only, meaning there are no calculations performed on this field, nor will the data be carried forward to the shopping cart.

#### **Inventory Item UDF**

Our first task is to add the User Defined Field to the Item file, "CI Item Master". The new UDF, UDF\_FabricationTime, is a two digit numeric field.

Field Name     UDF_FABF       Description     Fabrication       Control Type     Multi-Li       Drop-B     ListBox       ListBox     Check-       1. Attributes     2. V       Data Type     Image: Check-       Maximum Length     Image: Check-       Display Attributes     Image: Check-	RICATIONTIME [Locked] In Time ine [Locked] Nox Box Box Validation ] 3. Data Sources String [Locked] Numeric Date	Field in Use
Control Type     Multi-Li       Drop-Bi     List-Box       Check-     Check-       1. Attributes     2. V       Data Type     Image: Check-       Maximum Length     Image: Check-       Display Attributes     Image: Check-	ine [Locked] inx Box Box Box String [Locked] Numeric Date	Name Space Used
1. Attributes     2. V       Data Type     Image: Constraint of the second sec	+Box ⊠A Validation 3. Data Sources	plus the lengths of all column names.
Data Type () () () () () () () () () () () () () (	) <u>S</u> tring [Locked] ) <u>M</u> umeric ) Date	
Maximum Length		
Display Attributes	15	
	Uppercase Fixed Font Center Text Ri	ight-Justify 🔲 Borderless
✓ <u>M</u> ask #0	0	
Default Value	×	
Caption Fa	abrication Time	

This is as simple as it gets. There are no Validations or Data Sources required. (For help adding the User Defined Field, please consult your Custom Office Manual.) Once the UDF is added to CI\_ItemMaster, you can add the field to Inventory Maintenance.



🚮 * Inventory	/ Maintenance
Item No. 488	36-18-14-3 Q Description PAPER CADDY 18"W 14"D 3"H
<u>1</u> . Main	2. Options <u>3</u> . Transactions <u>4</u> . Inquiry <u>5</u> . Cost Detail
Product Line	PS&A 🔍 PRINTER SUPPLIES & ACCESS Renumber History Alias
Product Type	Finished Good V Default Whse 000 Q Quantity Alternate
Valuation	Average Cost V Inventory Cycle IT Item Sale Info Pricing
Price Code	Lot/Serial Vendors
Procurement	Buy Fabrication Time 6
Primary Vendor	01-CONT 🔍 📎 Container Corporation Of Usa
Weight	8.5 Warranty Code Q Total 22.500
Volume	.0000 Last Ropt 03/15/2010 Item 22.500
Chandred 11/bd	Last Sold 05/31/2010 Allocated .000
Standard U/M	
Purchase U/M	EACH Std Cost 22.750
Sales U/M	EACH         Q         No. Of         EACH         1         Std Price         65.000         Avg Cost         22.604
-	
	Accept         Delete         Delete<
Enter item descript	tion RDB ABC 3/31/2009

Once the field is added, we can start work on the e-Business Manager Templates.



## Modifying the Product Listing Template

Edit the Product Listing Template file located in the "webEng\iw" directory. (For help on determining with product listing template to edit, please see Appendix A.) Use a text editor, not a word processor. Word processors add formatting characters that Internet Explorer will not like.

The code in Code Listing 1 is formatted a little better than what you will find in the actual template so you can follow the logic. (Some of the code is chopped off at the right in this listing, but it is not pertinent to our example.)

```
\langle tr \rangle
  ~~ItemNumberTitle$?a~~
  <!-- start header modification -->
  Fabrication Time
  < --- end header modification -->
  ~~ItemDescriptionTitle$?a~~
  ~~QuantityAvailableTitle$?a~~
  ~~BasePriceTitle$?a~~
  ~~ShoppingCartTitle$?a~~
 \langle tr \rangle
 \langle tr \rangle
  ~~IW Products.m4p;PRODUCTS DTL TABLE?T~~
 <nobr><a class="~~RowStyle$~~" href="IW
  <!-- start data modification -->
  ~~CI Item.UDF FabricationTime~~ Days
  \langle td \rangle
  < !-- end data modification -->
  ~~ItemDescription$?a~~<br />~~AliasTit
  ~~STP(QtyAvailable$,2)?x?
  ~~STP(BasePrice$,2)?x~~</
  <font size="+1" color="red">~~ErrorFlag$?a~~</font>
   <input type="hidden" name="row~~row~~.ItemCode" value="~~FN%ESCDoubleQuote$
   <input type="~~scQtyType$~~" name="row~~row~~.Quantity" style="text-align:ri
  \langle tr \rangle
```

Code Listing 1

The code for listing products is shown in Code Listing 1. There are three sections (rows) in the product listing table. The first row, labeled with a , displays the column headings. (Columns start with a .) The next row, runs the MAS 90 program that will populate the table with data. The last row is the definition for the columns to be displayed by the MAS 90 program.



In order to display the UDF we added in the previous section, we insert two lines of code and some comments. The first line of code adds a column for the header:

```
Fabrication Time
```

The next line of code (broken up for readability) adds a column to position the data:

```
~~CI_Item.UDF_FabricationTime~~ Days
```

Note the two tildes (~~) before and after the File/Column name. You can add any field from CI\_Item to this template in the same manor. Find the CI\_Item column names in Data File Display and Maintenance.



That small change to the e-Business Manager template results in:

Figure 1

The next step is to add the UDF to the Item Detail template, the page that displays when you click on an item.



## Modifying the Item Detail Template

Edit the Item Detail template, "Item.htm" or "item\_frane.htm", located in the "webEng\iw" directory. For help in determining which template to edit, see Appendix A.

The code in Code Listing 2 is formatted a little better than what you will find in the actual template so you can follow the logic. (Some of the code is chopped off at the right in this listing, but it is not pertinent to our example.)

```
\langle tr \rangle
  ~~TBL(NUL(ImageFile$),"<img src="+QUO+"images/"+ImageFile$+QUO+ImageWidth$+I
  \langle tr \rangle
 \langle tr \rangle
  Item:
  ~~ItemCode$?a~~<br><a
Description:
  ~~ItemDescription$?a~~<br /> ~~su
 \langle tr \rangle
< !-- start modification -->
\langle tr \rangle
  Fabrication Time:
 ~~CI Item.UDF FabricationTime~~ Days
 \langle tr \rangle
< --- end modification -->
 \langle t, r \rangle
 ~~AliasTitle$~~
 ~~IM AliasItem.AliasItemNo$~~
 ~~IM AliasItem.AliasItemDesc$~~
\langle tr \rangle
 \langle tr \rangle
 ~~UnitOfMeasureTitle$~~
 ~~UnitOfMeasure$~~
\langle tr \rangle
\langle tr \rangle
 ~~TBL(CalculateQtyAvail$<>"N"
 ~~STP(QtyAvailable$,2)?x?a~~</
\langle tr \rangle
\langle tr \rangle
 ~~OrderQtyTitle$~~
 <input type="~~QtyType$~~" name="
   ~~OrderQty$?a~~   ~~SubmitButton$?a~~
```

Code Listing 2

The lines added between the "start modification" and "end modification" comments will add our UDF to the page. The lines follow the pattern of the rows above and below, specifying a label and a data element.

Note the "class" assignment in each cell. These are defined in the Cascading Style Sheet defined in e-Business Manager Options.





The page resulting from the modified code in Code Listing 2:

Figure 2



## **Finishing Touches**

What we have done so far works flawlessly, but the "0 Days" displays looks a little unprofessional. All we need is some JavaScript to fix it up.

Sage e-Business Manager will not work in conjunction with any other server side scripting like ASP. The ProvideX Web Engine, the software that makes e-Business Manager work, is the server that renders the page. JavaScript, however, is client side programming. Sage uses JavaScript in their templates.

Consider the code in Code Listing 3.

```
<script type=text/javascript>
fabricationDays = new String("~~CI_Item.UDF_FabricationTime~~");
if (fabricationDays == "0") {
   document.write ("On Hand");
} else {
   document.write (fabricationDays + " Days");
}
</script>
```

Code Listing 3

On the server, the ProvideX Web Server replaces ~~CI\_Item.UDF\_FabricationTime~~ with the value for that item in MAS 90. Then JavaScript executes this code on the client, conditionally printing "On Hand" or "X Days" depending on the value of fabricationDays. This code, inserted in place of ~~CI\_Item.UDF\_FabricationTime~~ will result in the following Product Listing page:





# **Editable Customer UDF**

Our next example will be to allow the e-Business Manager visitor to save their business type into a new UDF added to the Customer Master file. We will add the UDF to the profile template.

#### **Customer UDF**

Our first task is to add the User Defined Field to the customer file, "AR Customer Master". The new UDF, UDF\_BusinessType, is a string of characters, ten characters long.

Since e-Business Manager does not write directly to AR\_Customer, we also have to add our UDF to the intermediary table, "IT\_UID Customer Change".

The "IT\_UID Customer Change".UDF is a simple field. No Validations or Data Sources. However, the "AR Customer Master" UDF requires a Data Source. This will move the data from the e-Business Manager to Accounts Receivable.

AR Customer	Master: Edit Field					? 🔀
<u>F</u> ield Name De <u>s</u> cription Control Type <u>1</u> . Attributes	UDF_BUSINESSTYPE Business Type Multi-Line Drop-Box List-Box Check-Box 2. Validation 3. Data So	[L	ocked ]	Field in U Bytes Us Name S Bytes Us columns plus the	Jse Yes sed	)0 all rtes-used
Business Ob AR_Custome AR_SalesJoi SO_SalesJoi IT_Shopping IT_UIDCusto AP_ARClear	iject er_bus urnal_upd urnal_upd gCart_upd omerChange_upd ingRegister_upd	Select	Data Source	e	Column UDF_BUSINESSTYPE	Æ
					<u></u> K!	Cancel (2)

Figure 4

For help adding a User Defined Field, please consult your Custom Office Manual.



👫 * Customer M	aintenance (ABC) 4/1/2009
Customer No. 99- Name Rot	0000010 😳 [1] 🔞 🕢 💓 🗒 Copy From Renumber Contacts 🗸
<u>1</u> . Main	2. Additional <u>3</u> . Statistics <u>4</u> . Summary <u>5</u> . History <u>6</u> . Invoices <u>7</u> . Transactions <u>8</u> . S/Ds
Address	HighTower     Ierms Code     00 % No Terms       4709 w golf rd     Primary Contact     %
ZIP Code	60076 Primary Ship To
Country Residential Addr	USA & United States of America
<u>Salesperson</u> Telephone Fax	0000 💊 Web Sales (847) 674-0081 Ext Credit Hold 😭 Credit Limit 500.00
E-mail Address URL Address	Paperless Business Type DESIGNER

Once the field is added, we can start work on the e-Business Manager Templates.



## Modifying the Profile Template

Edit the Profile template, "Profile.htm", located in the "webEng\iw" directory.

The code in Code Listing 4 is formatted a little better than what you will find in the actual template so you can follow the logic. (Some of the code is chopped off at the right in this listing, but it is not pertinent to our example.)

```
Fax Number:
 <input type="text" name="FaxNo" value="~~SY EBusinessManag
\langle tr \rangle
 E-mail Address*:
 <input type="text" name="EmailAddress" value="~~SY EBusine
\langle tr \rangle
< !-- start modification -->
\langle tr \rangle
 Business Type:
 <input type="text" name="UDF UID Customer Change"
                 value="~~AR Customer.UDF BusinessType$~~"
                 size="11" maxlength="10">
 \langle d \rangle
< !-- end modification -->
~~CurrentPassword$?a~~
\langle tr \rangle
 ~~TBL(NOT(NUL(SY_EBusinessManage
\langle tr \rangle
 New Password~~TBL (NOT (NUL (SY EBusinessManager
 <input type="password" name="NewPassword" size="25" maxlen
```

Code Listing 4



The page resulting norm the mounted code in Code Listing 4.	The page	resulting from	the modified	code in Code	Listing 4:
---	----------	----------------	--------------	--------------	------------

User Profile	Already a customer? <u>Sig</u>
Name*:	Robert E. Nordin
Address*:	HighTower
	4709 W Golf Rd
	Suite 306
City* / State*:	Skokie
ZIP Code* / Country*:	60076 United States of America 💌
Phone Number 1:	(847) 674-0081 Ext:
Phone Number 2:	Ext:
Fax Number:	
E-mail Address*:	rnordin@hightowerinc.com
Business Type:	DESIGNER
Current Password*:	Forgot Your Pass
Change Password	d
New Password:	
Confirm New Password:	
	* Required Field

Figure 6

Changes made to Business Type will be posted through the IT UID Customer Change table to the AR Customer Master table.



# **Finishing Touches**

The UDF we added was a free-form 10 character field. Users, especially e-Business Manager users, could type in anything they wanted. Let's limit the user's input by changing the UDF to a drop down box. (In order to change the UDF\_BusinessType field, you have to remove it completely from AR Customer Master and IT UID Customer Change and then re-enter them.)

AR Customer Ma	aster : Edit Fie	ld		2
<u>F</u> ield Name	UDF_BUSINESSTYF	ΡΕ	[Locked]	Field in Use Yes
De <u>s</u> cription	Business Type			Bytes Used 924 of 20,000
Control Type	) <u>M</u> ulti-Line	[Locked]		Name Space Used 1,029
	<ul> <li><u>D</u>rop-Box</li> <li>List-Box</li> <li>Chec<u>k</u>-Box</li> </ul>			Bytes Used is the sum of the lengths of all columns in the table. Name Space is bytes-used plus the lengths of all column names.
<u>1</u> . Attributes	2. Validation	<u>3</u> . Data Sources	5	
O None				
O <u>R</u> ange			Through	
⊙ Lis <u>t</u>	Desi Arch Hom	gner itect e Owner		
O <u>U</u> ser-Define	ed Table			
Reguired Field				
Validation <u>P</u> rogr	am			
				<u> </u>

For the AR Customer Master UDF, you still have to set the Data Source to IT UID Customer Change.



👫 * Customer M	aintenance (ABC) 6/1/2009
Customer No. 99- Name Ro	0000010 😳 [1 🔞 🕢 🔊 🗑 📛 Copy From Renumber Contacts 🕶
<u>1</u> . Main	2. Additional <u>3</u> . Statistics <u>4</u> . Summary <u>5</u> . History <u>6</u> . Invoices <u>7</u> . Transactions <u>8</u> . S/Ds
Address	HighTower     Image: Code     O0     No Terms       4709 W Golf Rd     Primary Contact     Q       Suite 306     Ship Code     C.O.D.
ZIP Code	60076 Primary Ship To
City	Skokie State IL
Country	USA 💊 United States of America Tax Schedule
Residential Addr	Exemptions
<u>Salesperson</u>	0000 🔍 Web Sales
Telephone	(847) 674-0081 Ext Credit Hold
Fax	Credit Limit 500.00
E-mail Address	rnordin@hightowerinc.com
URL Address	Business Type
	Designer Architect
	Accept Cancel Home Owner



## Modifying the Profile Template

Edit the Profile template, "Profile.htm", located in the "webEng\iw" directory.

The code in Code Listing 5 is formatted a little better than what you will find in the actual template so you can follow the logic. (Some of the code is chopped off at the right in this listing, but it is not pertinent to our example.)

```
\langle tr \rangle
 Fax Number:
 <input type="text" name="FaxNo" value="~~SY EBusinessManage
\langle tr \rangle
\langle tr \rangle
 E-mail Address*:
 <input type="text" name="EmailAddress" value="~~SY EBusines</pre>
\langle tr \rangle
< !-- start modification -->
\langle tr \rangle
 Business Type:
 <select name="UDF BusinessType">
     <script type="text/javascript">
       udfValue = "~~AR Customer.UDF BusinessType$~~";
       if (udfValue=="Designer") {
         document.write("<option selected value='Designer'>Designer");
       } else {
         document.write("<option value='Designer'>Designer");
       -}
       if (udfValue=="Architect") {
         document.write("<option selected value='Architect'>Architect");
       } else {
         document.write("<option value='Architect'>Architect");
       3
       if (udfValue=="Home Owner") {
         document.write("<option selected value='Home Owner'>Home Owner");
       } else {
         document.write("<option value='Home Owner'>Home Owner");
       }
     </script>
   </select>
 \langle tr \rangle
< !-- end modification -->
~~CurrentPassword$?a~~
\langle tr \rangle
 ~~TBL (NOT (NUL (SY EBusinessManage
\langle tr \rangle
\langle tr \rangle
 New Password~~TBL (NOT (NUL (SY EBusinessManager)
 <input type="password" name="NewPassword" size="25" maxleng
```

Code Listing 5



The page resulting from the modified code in Code Listing 5:

User Profile	Already a customer? Sign In
Name*:	Robert E. Nordin
Address*:	HighTower
	4709 W Golf Rd
	Suite 306
City* / State*:	Skokie
ZIP Code* / Country*:	60076 United States of America 💙
Phone Number 1:	(847) 674-0081 Ext:
Phone Number 2:	Ext:
Fax Number:	
E-mail Address*:	rnordin@hightowerinc.com
Business Type:	Architect
Current Password*:	Forgot Your Password?
Change Passwore	d
New Password:	
Confirm New Password:	
	* Required Field

Changes made to Business Type will be posted through the IT UID Customer Change table to the AR Customer Master table and be limited to the three choices we preset on the page and in the Custom Office UDFs



## Appendix A: Determining the Template File Name

There are several product listing templates. Which one you use, depends on your needs. You can look up the template in use in MAS 90 by selecting Template Maintenance from the e-Business Manager Setup menu.

1	Templ	ate Maintenance (/	ABC) 3/31/20	009				
1		Template Code	Sequence No.	Description	Template Name	Include 📥	-	
-	38	IW_PRODUCTS.M4P	000010	Products & Services Header	header.htm		- 🛃	
	39	IW_PRODUCTS.M4P	000020	Products & Services Categories	categories_058HM.htm		- 🛃	
	40	IW_PRODUCTS.M4P	000030	Products & Services Main	Products_dtl_form2.htm		-*	
	41	IW_PRODUCTS.M4P	000040	Products & Services Footer	footer.htm			
	42	IW_PRODUCTS.M4P	000050	Products & Services Search	search.htm			
-	43	IW_PRODUCTS.M4P	000060	.store (b2c) Products Search	search_store.htm			
	44	IW_PRODUCTS.M4P	000070	Item Detail	item.htm			
-	45	IW_PRODUCTS.M4P	000071	Item Detail (framed)	item_frame.htm			
-	46	IW_SALESTAX.M4P	000000	Sales Tax Detail	sales_tax_dtl.htm	=		
-	47	IW_SHOPPINGCART	000000	View .order Shopping Cart	submit_so.htm			
-	48	IW_SHOPPINGCART	000010	Confirm .order Shopping Cart	confirm_so.htm			
	49	IW_SHOPPINGCART:	000000	.store Shopping Cart Step 1	sc_step1.htm	~		
	<	•				>		
Accept Cancel								

The product listing template is "Products\_dtl\_form2.htm".

Another way to discover the template in use is to right-click on the product listing page in Internet Explorer and select "View Source" from the pop-up menu.

📮 IW_Products.m4p[1] - Notepad	
Elle Edit Format View Help	
\$Header: Products_dtl_form2.htm 1.16 2007/01/30 16:59:44PST blgerrar<br Released \$> Products and Services - Products Template 2 Copyright(c) Sage Software, Inc. 1988-2005. All rights reserved <html></html>	
<pre><head> <head> <head> <base href="http://localhost/"/> <base href="http://localhost/"/> <base href="http://localhost/"/> <head> <base href="http://localhost/"/> <head> <base href="http://localhost/"/> <head>   <link href="aqua.css" rel="stylesheet" type="text/css"/>   <script language="javaScript1.2"></script></head></head></head></head></head></head></pre>	